(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER D-182-11
Relating to Exemptions Under Section 27156
of the Vehicle Code

WALKER MANUFACTURING
"TWO-WAY, THREE-WAY, AND THREE-WAY PLUS OXIDATION
CATALYTIC CONVERTERS"

WHEREAS, Vehicle Code Sections 27156 and 38391, and Title 13, California Code of Regulations (hereafter "CCR") Section 2222(h), authorize the California Air Resources Board (ARB) and its Executive Officer to exempt new aftermarket catalytic converters from the prohibitions of Vehicle Code Section 27156.

WHEREAS, Walker Manufacturing of 3901 Willis Road, P.O. Box 157, Grass Lake, Michigan 49240 has applied to the ARB for exemption from the prohibitions in Vehicle Code Sections 27156 and 38391 for their new aftermarket two-way (OC), three-way (TWC), and three-way plus oxidation (TWC + OC) catalytic converters for vehicle applications shown in the Appendix.

WHEREAS, pursuant to the authority vested in the Executive Officer by Health and Safety Code Section 39515 and in the Chief, Mobile Source Division by Health and Safety Code Section 39516 and Executive Order G-45-5, the ARB finds that the above aftermarket catalytic converters comply with the California Vehicle Code Section 27156 and Title 13, California Code of Regulations, Section 2222(h). Emission performance of the catalytic converters was based on durability mileage accumulation of 25,000 miles using the AMA durability driving schedule (Reference Appendix IV, Title 40, part 86, Code of Federal Regulations (June 28, 1977)).

IT IS HEREBY RESOLVED that the above catalytic converters are exempt from the prohibitions in Vehicle Code Sections 27156 and for installation on the approved application vehicles subject to the following conditions:

- No changes are permitted to the converters as described in the application for exemption. Any changes to the converters or any of their components, applicable model year, or other factors addressed in this order must be evaluated and approved by the ARB prior to marketing in California.
- 2. Marketing of the converters using identifications other than those shown in the exemption applications or marketing of the converters for applications other than ones listed in the application catalog shall be prohibited unless prior approval is obtained from the ARB. Exemption of these products shall not be construed as an exemption to sell, offer for sale, or advertise any components of the converters as individual devices.

- 3. Any oral or written references to this Executive Order or its content by Walker Manufacturing, its principals, agents, employees, distributors, dealers, or other representatives must include the disclaimer that the Executive Order or the exemption it provides is not an endorsement or approval of any emissions reduction claims for the catalytic converters and is only a finding that the converters are exempt from the prohibitions in Vehicle Code Section 27156.
- 4. Upon installation, the catalytic converters must carry a manufacturer's warranty for 25,000 miles on the substrates and 50,000 miles or five years on the shell.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after ten day written notice of intention to revoke it, during which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within ten days of receipt of the request, and the order may not be revoked until a determination is made, after the hearing, that grounds for revocation exist.

Executive Order No. D-182-10, dated August 23, 1993, is hereby superseded and of no further force and effect.

Executed at El Monte, California, this 22 day of September, 1993.

R.B. Summerfield
Assistant Division Chief

Mobile Source Division

E.O. D-182-11

WALKER MANUFACTURING CATALYTIC CONVERTERS

VPPENDIX

'855ST	' 9999T	'LDTST	' 9†151	'stist	T999T '##T9T	7.5L/5500 LBS.	၁၀
						• • • •	
				'975ST		(FIV ONLY)	
'ILISI	'OLTST	'EFIST	15142,	'IDIST	101151	5.8L/5500 LBS.	TWC + OC
				IIISI9	*COOCT		
1700CT	TOOCT	/aocct	100CCT	199551		•	
		- 1		'ISISI		3.81 3875 LBS.	IMC
0111			07336		02121	541 3500, 10 0	ÇEM <u>.</u>
					12603		
'0699T	T2213	'TLSST	199991	197991	121151	*(FIV ONLY)	•
'TLTST	'OLTST	12143°	121451	'TDIST	101191	2.7L/5500 LBS.	IMC
				198981	·		
				12213			
	_			'6TTST			
.71121	91191	,21121	-piisi	'ETTST	60151	6.6L/4500 LBS.	00
			,	/ 699T	*965ST		
'Z699T	'859ST	127SST	'LZISI	12126,		3.8L/3750 LBS.	IMC
			TRIIS	'tttst	'OTTST	e.6L/5000 LBS.	20
				1999ST			
				TPSST			
				15524			
				12204°			
.85131	18138			12132,	12130	2.0L/4000 LBS.	TWC + OC
Part Numbers						+(End. Size/ETW)	Converter Type
						Application	,

+EIW = Equivalent Test Weight