State of California AIR RESOURCES BOARD

EXECUTIVE ORDER D-353-56

Relating to Exemptions under Section 27156 and 38391 of the Vehicle Code

Miller Catalyzer Corporation "Series 60000 Three-way Catalytic Converters"

WHEREAS, Vehicle Code Sections 27156 and 38395, and Title 13, California Code of Regulations (hereafter "CCR") Section 2222(h), authorize the California Air Resources Board and its Executive Officer to exempt new aftermarket catalytic converters from the prohibitions of Vehicle Code Section 27156 and 38391.

WHEREAS, Miller Catalyzer Corporation of 3295 Depot Road, Hayward, California 94545, has applied to the Air Resources Board for exemption from the prohibitions in Vehicle Code Sections 27156 and 38391 to market its new aftermarket Series 60000 three-way catalytic converters (TWC) on selected 1995 through 2002 model year Toyota passenger cars and light-duty trucks 1 equipped with on-board diagnostic II (OBD-II) systems as specified in Appendix D-353-56 and incorporated herein. Series 60000 TWC will be used for single catalytic converter applications.

WHEREAS, pursuant to the authority vested in the Executive Officer by Health and Safety Code Section 39515 and in the Chief, Mobile Source Operations Division by Health and Safety Code Section 39516 and Executive Order G-02-003, the Air Resources Board finds that the above aftermarket catalytic converters comply with the California Vehicle Code Sections 27156 and 38395 and Title 13, California Code of Regulations, Section 2222(h). Emission performance of the catalytic converter was based on durability bench-aging by Umicore Automotive Catalysts using the Air Resources Board-modified RAT-A bench-aging cycle for 75 hours as specified in Appendix A to the "California Evaluation Procedures for New Aftermarket Catalytic Converters" as adopted on October 25, 2007.

WHEREAS, previous emissions and OBD II compatibility tests conducted by Miller Catalyzer Corporation using a vehicle of weight classification and exhaust configuration similar to those listed in Appendix D-353-56 and certified to Low Emission Vehicle (LEV) standards resulted in the issuance of Executive Orders D-353-24, it was determined that the installation of Series 60000 on the vehicles listed in Appendix D-353-56 meets the requirements of California regulation for aftermarket catalytic converters.

THEREFORE, IT IS HEREBY RESOLVED that Miller Catalyzer Corporation's 60000 TWCs are exempted from the prohibitions in Vehicle Code Sections 27156 and 38391 for installation on the approved vehicle applications specified in Appendix D-353-56 subject to the following conditions:

- 1. No changes are permitted to the catalytic converters as described in the application for exemption. Any changes to the catalytic converters or any of their components, and other factors addressed in this order must be evaluated and approved by the Air Resources Board prior to marketing in California.
- 2. Marketing of the catalytic converters using identifications other than those shown in the exemption application, and in this Executive Order, or marketing of the catalytic converters for application other than the ones shown in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board. Exemption of these products shall not be construed as an exemption to sell, offer for sale, or advertise any components of the catalytic converters as individual devices.
- 3. Any oral or written references to this Executive Order or its content by Miller Catalyzer Corporation, its principals, agents, employees, distributors, dealers, or other representatives must include the disclaimer that the Executive Order or the exemption it provides is not an endorsement or approval of any emission reduction claims for the catalytic converters and is only a finding that the catalytic converters are exempt from the prohibitions of Vehicle Code Sections 27156 and 38391.
- 4. Miller Catalyzer Corporation's installation instructions for the new catalytic converters must conform to requirements in Section (h) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
- 5. Installation of the catalytic converters shall not cause the relocation of an oxygen sensor. Oxygen sensors must be installed in the same location, position and orientation as prescribed in the original equipment manufacturer's configurations.
- Upon installation, the catalytic converters must carry a manufacturer's warranty for five (5) years or 50,000 miles as prescribed in Section (f)(2) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
- 7. Miller Catalyzer Corporation and its vendors may not advertise the new aftermarket catalytic converters as "high flow or easy flow" catalytic converters or use any phrase that could make them appear to perform better than the original equipment manufacturer (OEM) catalytic converters.
- 8. Any marketing arrangement of the new aftermarket catalytic converter by a third party, which involves the use of packaging identification different from the ones described in this Executive Order, must be approved by the Air Resources Board prior to shipment.
- 9. Miller Catalyzer Corporation, its associates, vendors, other businesses and individuals associated with Miller Catalyzer Corporation may not sell or supply new aftermarket catalytic converter substrates to a third party to be assembled in a different facility and marketed under this Executive Order without approval from the Air Resources Board.

- 10. Miller Catalyzer Corporation shall comply with the quality control procedures and reporting requirements in Section (f)(5) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
- 11. Quality control reports must be submitted on a quarterly basis and warranty information reports on a semi-annual basis, starting with periods covering January 1 through March 31, 2009 and January 1 through June 30, 2009, respectively.
- 12. Miller Catalyzer Corporation must provide a permanent label or stamp as specified under Section (f)(1) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.
- 13. Miller Catalyzer Corporation's vehicle application catalog must conform with the requirements specified under Section (f)(4) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.

Executive Order D-353-34 dated August 1, 2008, is hereby superseded and of no further force and effect.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a 30-day written notice of intention to revoke it, during which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within 30 days of receipt of the request, and the order may not be revoked until a determination is made, after the hearing, that grounds for revocation exist.

Executed at El Monte, California, this 10 day of December 2008.

Immette Staken

Annette Hebert, Chief Mobile Source Operations Division

		Miller Catalyze	er Corpora	ation, Catalytlic Co	nverter Series	60000, F	or Toyota	PC and LD	0T1			
No.	Model Year	Vehicle Model	Engine Size	EngineFamily (Test Group)	Certification Level	Weight Class	Exhaust Type	Total Converters	Converter Type	Monitored	Universal	Direct Fit
1		Paseo	1.5L	STY1.5VHG1GA		PC		1	TWC	1	60212	TBD
2	ļ ,	Tercel		STY1.5VHGFEK								
3	4 '	Corolla, Corolla Wagon	1.8L 2.4L 2.7L	STY1.8VJG1GA]						
4		Toyota Truck 2WD		STY2.417G1GA		LDT1						
5		Toyota Truck 4WD		STY2.417G1HA								
6		Toyota Tacoma 2WD		STY2.41HG1GK								
7		Toyota Tacoma 4WD		STY2.71HG1GK								
8		Toyota T100 2WD		STY2.71HGEEK								
9		Camry, Camry Wagon	3.0L	STY3.0VJGFEK		PC						
10	4	Toyota Avalon, Lexus ES300										
10	-	Toyota T100 2WD		STY3.41JG1GK		LDT1						
11	-	Toyota Tacoma 2WD/4WD		STY3.41JGFEK			Į					
12	4	Toyota Tercel, Paseo	1.5L	TTY1.5VHGFEK	4		S					
13		Corolla, Corolla Wagon, Celica	1.6L /1.8L	TTY1.8VJG1GK	-	PC						
14	1	Toyota Tacoma 2WD	2.4L	TTY2.41HGKEK								
	1996	Toyota T100 2WD	2.7L	TTY2.71HGKEK		LDT1						
15		Toyota 4-Runner 2WD										
		Toyota Tacoma 4WD										
]	Camry, Camry Wagon	3.0L 3.4L	TTY3.0VJG1GK		PC						
16		Toyota Avalon										
		Lexus ES300										
17		Toyota T100 2WD		TTY3.41JGIGK]	LDT1	1					
18		Toyota Tacoma 2WD/4WD		TTY3.41JGFEK		LUII						
19	1	Tercel, Paseo, Paseo Convertible	1.5L	VTY1.5VJGKEK	1							
20		Corolla, Celica	1.6L/ 1.8L	VTY1.8VJGKEK		PC						
21		Tacoma 2WD	2.4L	VTY2.41HGKEK		LDT1						
22	1997	Toyota T100 2WD		VTY2.71HGKEK								
23	1	Toyota Tacoma 4WD	2.7L	VTY2.71JG2GK	TLEV							
24	1	Toyota Tacoma 4WD, 4Runner 2WD		VTY2.71JGKEK	Tier 1	1						
25	7	Toyota Camry, Avalon, Lexus ES300	3.0L	VTY3.0VJGKFK		PC						
26	1	Toyota Tacoma 2WD/4WD, T100 2WD	3.4L	VTY3.41JGKEK		<u> </u>						
27		Toyota Tacoma 2WD	2.4L	WTYXT02.4BBH		LDTI						
28	1998	Toyota T100 2WD		WTYXT02.7BBH								
29	1	Toyota Tacoma 4WD	2.7L	WTYXT02.7DXH	TLEV							

Jo.	Model Year	Vehicle Model	Engine Size	(Test Group)	Certification Level	Class	Exhaust Type	Total Converters	Converter Type	Monitored	Universal	Direct Fi
30		Tacoma 2WD, T100 2WD	3.4L	WTYXT03.4BBH	Tier 1	LDT1	S	1	TWC	1	60212	TBD
3 <u>1</u> 32	1998	Tercel, Paseo, Paseo Convertible		WTYXV01.5BBA								
33 32		Corolla Camry	<u>1.8L</u> 3.0L	WTYXV01.8DXB WTYXV03.0BBA		PC						
4		Tercel, Paseo, Paseo Convertible	1.5L	WTYXV01.5BBA	Tier 1	PC						
5		Corolla	1.5L	WTYXV01.8DXB	TLEV							
<u> </u>	1 1	Toyota Tacoma 2WD	2.4L	XTYXT02.4BBH		LDT1						
7	1999	Toyota Tacoma 2WD/4WD	2.7L	XTYXT02.7BBH	Tier 1							
88		Toyota Tacoma 4WD	2.7L	XTYXT02.7DXJ	TLEV							
9]	Toyota Tacoma 2WD	3.4L	XTYXT03.4BBH	Tier 1]						
0		Camry Solara, Camry	3.0L	XTYXV03.0BBA								
1		Echo	1.5L	YTYXV01.5FFA	LEV]						
2		Celica	1.8L	YTYXV01.8DDB	TLEV							
3.	2000	Celica	<u>1.</u> 8L	YTYXV01.8DDC								
.4		Corolla	1.8L	YTYXV01.8FFA	LEV_							
15	 	Camry, Camry Solara	3.0L	YTYXV03.0BBA	Tier 1							
16		Toyota Echo	1.5L	1TYXV01.5FFA	LEV	PC						
17		Toyota Celica	1.8L	1TYXV01.8DDB	TLEV							
8	2001	Toyota Celica	1.8L 1.8L	1TYXV01.8DDC 1TYXV01.8FFA	LEV							
49 50	-		3.0L	1TYXV03.0BBA	Tier 1							
51		Camry, Camry Solara (Manual Trasmission) Echo	<u> </u>	2TYXV01.5FFA	LEV							
52	-	Celica	1.5L	2TYXV01.8DDB								
53	2002	Celica	1.8L	2TYXV01.8DDC	TLEV							
5 <u>5</u>		Corolla	1.8L	2TYXV01.8FFA	LEV							
55	1	Camry Solara	3.0L	2TYXV03.0BBC	Tier 1					1		