

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER D-369-9

Relating to Exemptions under
Section 27156 of the Vehicle Code

Trick Flow Specialties
Small Block Chevy 195cc Cylinder Heads

Pursuant to the authority vested in the Air Resources Board by Section 27156 of the Vehicle Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That installation of the Small Block Chevy 195cc Cylinder Heads, manufactured by Trick Flow Specialties of 285 West Ave., Tallmadge, OH 44278, has been found not to reduce the effectiveness of the applicable vehicle pollution control systems, and therefore, the Small Block Chevy 195cc Cylinder Heads are exempt from the prohibitions in Section 27156 of the Vehicle Code for installation on the vehicles listed in Attachment A.

This Executive Order is based on previously submitted emissions test data conducted by Trick Flow Specialties on a 1995 Chevrolet C1500 truck with a 5.7L engine. Test results showed that exhaust emissions with Twisted Wedge cylinder heads installed on the vehicle met the vehicle's applicable emission standard during a Cold-Start CVS-75 Federal Test Procedure.

If evidence provides the Air Resources Board with reasons to suspect that the Small Block Chevy 195cc Cylinder Heads will affect the durability of the emission control system, Trick Flow Specialties shall be required to submit durability data to show that the durability of the vehicle emission control system is not, in fact, affected and/or that the add-on or modified parts demonstrate adequate durability.

This Executive Order is valid provided that installation instructions for the Small Block Chevy 195cc Cylinder Heads do not recommend tuning the vehicles to specifications different from those of the vehicle manufacturer.

Changes made to the design or operating conditions of the Small Block Chevy 195cc Cylinder Heads, as exempt by the Air Resources Board, which adversely affect the performance of the vehicles' emission control system, shall invalidate this Executive Order.

Marketing of the Small Block Chevy 195cc Cylinder Heads using identification other than that shown in this Executive Order or for an application other than that listed in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board.

Exemption of the Small Block Chevy 195cc Cylinder Heads shall not be construed as exemption to sell, offer for sale, or advertise any component of the system as an individual device.

This Executive Order shall not apply to any Small Block Chevy 195cc Cylinder Heads advertised, offered for sale, sold with, or installed on a motor vehicle prior to or concurrent with transfer to an ultimate purchaser.

This Executive Order does not constitute any opinion as to the effect the use of the Small Block Chevy 195cc Cylinder Heads may have on any warranty either expressed or implied by the vehicle manufacturer.


No claim of any kind, such as "Approved by the Air Resources Board," may be made with respect to the action taken herein in any advertising or other oral or written communication.

In addition to the foregoing, the Air Resources Board reserves the right in the future to review this Executive Order and the exemption provided herein to assure that the exempted add-on or modified part continues to meet the standards and procedures of California Code of Regulations, Title 13, Section 2222, et seq.

THIS EXECUTIVE ORDER DOES NOT CONSTITUTE A CERTIFICATION, ACCREDITATION, APPROVAL, OR ANY OTHER TYPE OF ENDORSEMENT BY THE AIR RESOURCES BOARD OF ANY CLAIMS OF THE APPLICANT CONCERNING ANTI-POLLUTION BENEFITS OR ANY ALLEGED BENEFITS OF TRICK FLOW SPECIALTIES' SMALL BLOCK CHEVY 195cc CYLINDER HEADS.

Violation of any of the above conditions shall be grounds for revocation of this Executive Order. The Executive Order may be revoked only after a ten day written notice of intention to revoke the Executive Order, in which period the holder of the Executive Order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within ten days of receipt of the request, and the Executive Order may not be revoked until a determination is made after the hearing that grounds for revocation exist.

Executed at El Monte, California, this 27th day of March 2009.


Annette Hebert, Chief
Mobile Source Operations Division

Attachment A

Trick Flow Specialties		
Small Block Chevy 195cc Cylinder Heads		
Part Number	Model Year	Model Specification
TFS-30400001	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine
TFS-30400002	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine, with valve spring option
TFS-30400003	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine, with valve spring option
TFS-30400005	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine
TFS-30400006	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine, with valve spring option
TFS-30400007	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine, with valve spring option
TFS-30400001-CNC	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine
TFS-30400002-CNC	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine, with valve spring option
TFS-30400003-CNC	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine, with valve spring option
TFS-30400005-CNC	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine
TFS-30400006-CNC	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine, with valve spring option
TFS-30400007-CNC	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine, with valve spring option
TFS-30400012-CNC	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine, with valve spring option
TFS-30400013-CNC	1986 and Older	GM vehicles with 5.0L-6.6L V8 engine, with valve spring option
TFS-30400014-CNC	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine, with valve spring option
TFS-30400015-CNC	1987-1995	GM vehicles with 5.0L-6.6L V8 engine, excluding LT-1 engine, with valve spring option

Note:

CNC: Computer Numerical Control