

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER D-473-12

Relating to Exemptions Under Section 27156  
of the California Vehicle Code

Saleen Performance  
Saleen Series VI Supercharger Kit

Pursuant to the authority vested in the Air Resources Board by Section 27156 of the Vehicle Code; and

Pursuant to the authority vested in the undersigned by Section 39515 and Section 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the installation of the Saleen Series VI Supercharger Kit, produced and marketed by Saleen Performance, 76 Fairbanks, Irvine, California 92618, has been found not to reduce the effectiveness of the applicable vehicle pollution control systems and, therefore, is exempt from the prohibitions of Section 27156 of the Vehicle Code for the 2004 through 2007 5.4 liter Ford F-150, equipped with 3 valves per cylinder, and 2007 Saleen S331 3-valve (naturally aspirated).

The Saleen Performance Saleen Series VI Supercharger Kit (p/n 10-1607-B14834\*) includes a Lysholm 2.3 liter screw type supercharger assembly, intake manifold, 39 lb/hour fuel injectors, and a new fuel calibration modified to operate with the supercharger. The Saleen Performance Saleen Series VI Supercharger Kit utilizes a 3.50 inch diameter pulley, and the stock crankshaft pulley. Maximum boost produced by the supercharger is 5 PSI.

This Executive Order is valid provided that the installation instructions for the Saleen Series VI Supercharger Kit will not recommend tuning the vehicle to specifications different from those of the vehicle manufacturer.

Changes made to the design or operating conditions of the Saleen Series VI Supercharger Kit, as exempt by the Air Resources Board, which adversely affect the performance of the vehicle's pollution control system shall invalidate this Executive Order.

This Executive Order shall not apply to any Saleen Series VI Supercharger Kit advertised, offered for sale, sold with, or installed on a new motor vehicle prior to or concurrent with transfer to an ultimate purchaser.

Marketing of the Saleen Series VI Supercharger Kit using any identification other than that shown in this Executive Order or marketing of the Saleen Series VI Supercharger Kit for an application other than those listed in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board.

This Executive Order does not constitute any opinion as to the effect the use of the Saleen Series VI Supercharger Kit may have on any warranty either expressed or implied by the vehicle manufacturer.

This Executive Order is granted based on emission results submitted by Saleen Performance in certifying their supercharged S331 as a small volume new vehicle (E.O. A-324-0021, engine family 7S3XR0235HDA, LEV-II LEV). The final configuration of a 2007 5.4 liter Ford F-150, equipped with 3 valves per cylinder, with the installation of the Saleen Series VI Supercharger Kit is the same as the Saleen S331 Supercharged. The certification emission results are shown below (in grams per mile):

FTP	50k	NMOG	CO	NOx	HCHO
	Emission Level	0.033	1.3	0.02	*
	STD	0.075	3.4	0.05	0.015
	120k	NMOG	CO	NOx	HCHO
	Emission Level	0.039	1.7	0.02	*
	STD	0.090	4.2	0.07	0.018
US06		NMHC + NOx	CO		
	Emission Level	0.01	7.2		
	STD	0.6	11.8		
SC03		NMHC + NOx	CO		
	Emission Level	0.09	2.9		
	STD	0.44	4.0		

The emission test results in the modified configuration were below the applicable certification standards. Examination of the OBD II system showed the Saleen Series VI Supercharger Kit does not affect OBD II operation.

If evidence provides the Air Resources Board with reason to suspect that the Saleen Series VI Supercharger Kit will affect the durability of emission control systems, Saleen Performance shall be required to submit durability data to show that the durability of vehicle emission control systems are not, in fact, affected and/or that the add-on or modified part demonstrates adequate durability.


The Air Resources Board reserves the right in the future to review this Executive Order and the exemption provided herein to assure that the exempted add-on or modified part continues to meet the standards and procedures of Title 13, California Code of Regulations, Section 2222, et seq.

**THIS EXECUTIVE ORDER DOES NOT CONSTITUTE A CERTIFICATION, ACCREDITATION, APPROVAL, OR ANY OTHER TYPE OF ENDORSEMENT BY THE AIR RESOURCES BOARD OF ANY CLAIMS OF THE APPLICANT CONCERNING ANTI-POLLUTION BENEFITS OR ANY ALLEGED BENEFITS OF SALEEN PERFORMANCE'S SALEEN SERIES VI SUPERCHARGER KIT.**

No claim of any kind, such as "Approved by the Air Resources Board", may be made with respect to the action taken herein in any advertising or other oral or written communication.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a ten-day written notice of intention to revoke the order, in which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within ten days of receipt of the request and the order may not be revoked until a determination is made after the hearing that grounds for revocation exist.

Executed at El Monte, California, this 18 day of December 2006.



Annette Hebert, Chief  
Mobile Source Operations Division