

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER D-488-36

Relating to Exemptions Under Section 27156
of the Vehicle Code

Magnuson Products Inc.
Intercooled Supercharger Kit

Pursuant to the authority vested in the Air Resources Board by Section 27156 of the Vehicle Code; and

Pursuant to the authority vested in the undersigned by Section 39515 and Section 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the installation of the Intercooled Supercharger Kit manufactured and marketed by Magnuson Products Inc. of 1990 Knoll Drive, Ventura, California 93003 has been found not to reduce the effectiveness of required motor vehicle pollution control devices and, therefore, is exempt from the prohibitions of Section 27156 of the California Vehicle Code for the General Motors vehicle applications listed in Exhibit A.

The Intercooled Supercharger Kit includes the following main components: Supercharger compressor and intake manifold plenum, larger fuel injectors (except 2014 to 2016 model year), new air filter cartridge and intake tube assembly, air to water intercooler, and new fuel and timing map calibrations. The throttle body is moved to the supercharger inlet. All other emission-related components are in the stock location relative to the throttle body. The supercharger pulley diameters vary between 3.3" and 4.1", using the stock crankshaft pulley. The stock air cleaner housing and thermostat are retained. All supplied fuel hoses are Avon's CADbar 9000 series or a stock replacement, and fuel and vapor line connectors supplied with the kit are OEM – equivalent parts. Breather hoses may be replaced with an SAE30R9 rated hose or a stock replacement. Maximum boost is limited to 7 psi.

This Executive Order shall not apply to any Intercooled Supercharger Kit advertised, offered for sale, sold with, or installed on a new motor vehicle prior to or concurrent with transfer to an ultimate purchaser.

This Executive Order is valid provided that the installation instructions for the Intercooled Supercharger Kit will not recommend tuning the vehicle to specifications different from those of the vehicle manufacturer.

Changes made to the design or operating conditions of the device, as exempted by the Air Resources Board, that adversely affect the performance of a vehicle's pollution control system shall invalidate this Executive Order.

Marketing of this device using any identification other than that shown in this Executive Order or marketing of this device for an application other than those listed in this

Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board.

This Executive Order does not constitute any opinion as to the effect that the use of this device may have on any warranty either expressed or implied by the vehicle manufacturer.

This Executive Order is granted based on previously submitted emissions and OBD II test data that was generated in support of Executive Order D-488-19. Emission levels of the modified vehicle met the applicable emission standards, and an examination of the OBD II system showed the supercharger kit did not affect OBD II system operation.

In addition, the Air Resources Board reserves the right in the future to review this Executive Order and the exemption provided herein to assure that the exempted add-on or modified part continues to meet the standards and procedures of Title 13, California Code of Regulations, Section 2222, et seq.

THIS EXECUTIVE ORDER DOES NOT CONSTITUTE A CERTIFICATION, ACCREDITATION, APPROVAL, OR ANY OTHER TYPE OF ENDORSEMENT BY THE AIR RESOURCES BOARD OF ANY CLAIMS OF THE APPLICANT CONCERNING ANTI-POLLUTION BENEFITS OR ANY ALLEGED BENEFITS OF THE INTERCOOLED SUPERCHARGER KIT.

No claims of any kind, such as "Approved by the Air Resources Board" may be made with respect to the action taken herein in any advertising or other oral or written communication.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a ten day written notice of intention to revoke the order, in which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within ten days of receipt of the request and the order may not be revoked until a determination is made after the hearing that grounds for revocation exist.

Executed at El Monte, California, this 27 day of June 2016.



Annette Hebert, Chief
Emissions Compliance, Automotive Regulations and Science Division

Exhibit A

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (mm)	Max Boost (PSI)
2016	Chevrolet	C15 Silverado XFE 2wd	5.3L	01-19-53-179-BL	87	7
	Chevrolet	C15 Silverado 2wd		01-19-53-183-BL		
	GMC	C15 Sierra XFE 2wd		01-19-53-187-BL		
	GMC	C15 Sierra 2wd		01-19-53-191-BL		
	Chevrolet	K1500 Suburban 4wd				
	Chevrolet	K1500 Tahoe 4wd	6.2L	01-23-53-183-BL	102	7
	GMC	C1500 Yukon 2wd				
	Chevrolet	K1500 Tahoe 4wd				
	Chevrolet	C1500 Siverado 2wd				
	GMC	K15 Sierra 4wd				
	GMC	K1500 Yukon 4wd				
	Chevrolet	K15 Silverado 4wd				
	GMC	C1500 Yukon XL 2wd				
	GMC	C1500 Yukon XL 4wd				
	Chevrolet	C1500 Suburban 4wd				
GMC	K1500 Yukon XL 4wd					

2016	Cadillac	Escalade 2wd	6.2L	01-19-62-181-BL	84	7
	Cadillac	Escalade 4wd		01-19-62-186-BL		
	Cadillac	Escalade ESV 2wd		01-19-62-189-BL		
	Cadillac	Escalade ESV 4wd		01-19-62-193-BL		
	Chevrolet	C15 Silverado 2wd		01-19-62-195-BL		
	Chevrolet	K15 Silverado 4wd				
	GMC	C15 Sierra 2wd	6.2L	01-23-62-186-BL	99	7
	GMC	C1500 Yukon 2wd		01-23-62-195-BL		
	GMC	C1500 Yukon XL 2wd				
	GMC	K15 Sierra 4wd				
	GMC	K1500 Yukon 4wd				
	GMC	K1500 Yukon XL 4wd				
	GMC	K10 Yukon XL AWD				
	Cadillac	Escalade ESV AWD				
	GMC	C10 Yukon XL 2wd				
GMC	K10 Yukon Denali AWD					
GMC	C10 Yukon 2wd					
Cadillac	Escalade AWD					

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (mm)	Max Boost (PSI)
2015 / 2016	Chevrolet	C25 Silverado 2wd	6.0L	01-23-60-027-BL	3.9"	7
	Chevrolet	C35 Silverado 2wd		01-23-60-025-BL		
	Chevrolet	K25 Silverado 4wd				
	Chevrolet	K35 Silverado 4wd				
	GMC	C25 Sierra 2wd				
	GMC	C35 Sierra 2wd				
	GMC	K25 Sierra 4wd				
GMC	K35 Sierra 4wd					

2015 / 2016	Chevrolet	C35 Silverado 2wd	6.0L	01-23-60-027-BL	3.9"	7
	Chevrolet	K35 Silverado 4wd		01-23-60-025-BL		
	Chevrolet	K3500 Suburban 4wd				
	GMC	C35 Sierra 2wd				
GMC	K35 Sierra 4wd					

Exhibit A

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (mm)	Max Boost (PSI)	
2014-2015	Chevrolet	C15 Silverado XFE 2wd	5.3L	01-19-53-179-BL	87	7	
	Chevrolet	C15 Silverado 2wd		01-19-53-183-BL			
	GMC	C15 Sierra XFE 2wd		01-19-53-187-BL			
	GMC	C15 Sierra 2wd		01-19-53-191-BL			
	Chevrolet	K1500 Suburban 4wd					
	Chevrolet	K1500 Tahoe 4wd		01-23-53-183-BL	102	7	
	GMC	C1500 Yukon 2wd					
	Chevrolet	K1500 Tahoe 4wd					
	Chevrolet	C1500 Siverado 2wd					
	GMC	K15 Sierra 4wd					
	GMC	K1500 Yukon 4wd					
	Chevrolet	K15 Silverado 4wd					
	GMC	C1500 Yukon XL 2wd					
	GMC	C1500 Yukon XL 4wd					
	Chevrolet	C1500 Suburban 4wd					
GMC	K1500 Yukon XL 4wd						

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (mm)	Max Boost (PSI)	
2014 - 2015	Cadillac	Escalade 2wd	6.2	01-19-62-181-BL	84	7	
	Cadillac	Escalade 4wd		01-19-62-186-BL			
	Cadillac	Escalade ESV 2wd		01-19-62-189-BL			
	Cadillac	Escalade ESV 4wd		01-19-62-193-BL			
	Chevrolet	C15 Silverado 2wd		01-19-62-195-BL			
	Chevrolet	K15 Silverado 4wd					
	GMC	C15 Sierra 2wd		01-23-62-186-BL	99	7	
	GMC	C1500 Yukon 2wd		01-23-62-195-BL			
	GMC	C1500 Yukon XL 2wd					
	GMC	K15 Sierra 4wd					
	GMC	K1500 Yukon 4wd					
	GMC	K1500 Yukon XL 4wd					
	GMC	K10 Yukon XL AWD					
	Cadillac	Escalade ESV AWD					
	GMC	C10 Yukon XL 2wd					
	GMC	K10 Yukon Denali AWD					
	GMC	C10 Yukon 2wd					
Cadillac	Escalade AWD						

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (in)	Max Boost (PSI)	
2013	Chevrolet	G1500 Express 2wd Cargo	5.3	01-19-59-995-BL	3.7	7	
	GMC	G1500 Savana 2wd Cargo		01-19-59-995-CH			
	Chevrolet	H1500 Express AWD Cargo		01-19-59-996-BL	3.7	7	
	Chevrolet	G1500 Express Conv 2wd Cargo		01-19-59-996-CH			
	Chevrolet	H1500 Express AWD Pass					
	Chevrolet	C10 Tahoe 2wd					
	GMC	C10 Yukon 2wd					
	Chevrolet	K10 Tahoe 4wd					
	GMC	K10 Yukon 4wd					
	Chevrolet	G1500 Express 2wd Pass					
	Chevrolet	C10 Suburban 2wd					
	GMC	H1500 Savana Conv AWD Cargo					
	Chevrolet	G1500 Express Conv 2wd Cargo					
	GMC	G1500 Savana 2wd Pass					
	GMC	C10 Yukon XL 2wd					
	Chevrolet	K10 Avalanche 4wd					
	Chevrolet	K10 Suburban 4wd					
	GMC	K10 Yukon 4wd					
	GMC	G1500 Savana Conv 2wd Cargo					
	GMC	H1500 Savana AWD Cargo					
	GMC	H1500 Savana AWD Pass					
Chevrolet	C1500 Avalanche 2wd						

Exhibit A

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (in)	Max Boost (PSI)
2007 - 2013	GMC	Canyon 2wd	5.3	01-19-60-031-BL	3.8	7
	GMC	Canyon 4wd		01-19-60-031-CH		
	GMC	Canyon Crew 2wd				
	GMC	Canyon Crew 4wd				
	Chevrolet	Colorado 2wd				
	Chevrolet	Colorado 4wd				
	Chevrolet	Colorado Crew 2wd				
	Chevrolet	Colorado Crew 4wd				

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (in)	Max Boost (PSI)
2007 - 2013		C15 Sierra 2wd	4.8	01-19-59-985-BL	4.1	7
		C15 Silverado 2wd		01-19-59-985-CH		
		K15 Sierra 4wd		01-19-59-993-BL		
		K15 Silverado 4wd		01-19-59-993-CH		
		C15 Sierra 2wd		01-19-59-995-BL		
				01-19-59-995-CH		
				01-19-59-996-BL		
				01-19-59-996-CH		
				01-19-60-001-BL		
				01-19-60-001-CH		
				01-19-60-003-BL		
				01-19-60-003-CH		

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (in)	Max Boost (PSI)
2007 - 2013	Chevrolet	C1500 Tahoe 2wd	5.3	01-19-59-985-BL	3.7	7
	GMC	C1500 Yukon 2wd		01-19-59-985-CH		
	Chevrolet	K1500 Tahoe 4wd		01-19-59-993-BL		
	GMC	K1500 Yukon 4wd		01-19-59-993-CH		
	GMC	C15 Sierra 2wd		01-19-59-995-BL		
	Chevrolet	C15 Silverado 2wd		01-19-59-995-CH		
	GMC	K15 Sierra 4wd		01-19-59-996-BL		
	Chevrolet	K15 Silverado 4wd		01-19-59-996-CH		
	GMC	C15 Sierra 2wd XFE		01-19-60-001-BL		
	Chevrolet	C15 Silverado 2wd XFE		01-19-60-001-CH		
	Chevrolet	G1500 Express 2wd Cargo		01-19-60-003-BL		
	Chevrolet	G1500 Express 2wd Pass		01-19-60-003-CH		
	Chevrolet	G1500 Express Conv 2wd Cargo				
	GMC	G1500 Savana 2wd Cargo				
	GMC	G1500 Savana 2wd Pass				
	GMC	G1500 Savana Conv 2wd Cargo				
	Chevrolet	H1500 Express AWD Cargo				
	Chevrolet	H1500 Express AWD Pass				
	Chevrolet	H1500 Express Conv AWD Cargo				
	GMC	H1500 Savana AWD Cargo				
	GMC	H1500 Savana AWD Pass				
	GMC	H1500 Savana Conv AWD Cargo				
	Chevrolet	C1500 Avalanche 2wd				
	Chevrolet	C1500 Suburban 2wd				
	GMC	C1500 Yukon XL 2wd				
	Chevrolet	C1500 Avalanche 4wd				
	Chevrolet	C1500 Suburban 4wd				
	GMC	C1500 Yukon XL 4wd				
	GMC	K 1500 Yukon XL 4wd				

Exhibit A

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (in)	Max Boost (PSI)
2007 - 2013	GMC	C1500 Yukon 2wd	6.2	01-19-60-007-BL	3.3	7
	GMC	K1500 Yukon Denali AWD		01-19-60-007-CH		
	GMC	C15 Sierra 2wd		01-19-60-008-BL	3.3	
	GMC	C15 Sierra 4wd		01-19-60-008-CH		
	GMC	C15 Sierra AWD				
	Cadillac	Escalade 2wd		01-19-60-015-BL	3.3	
	Cadillac	Escalade 4wd/AWD		01-19-60-015-CH		
	Chevrolet	C15 Silverado 2wd		01-19-60-016-BL	3.3	
	Chevrolet	K15 Silverado 4wd		01-19-60-016-CH		
	GMC	C1500 Yukon XL 2wd				
	GMC	C1500 Yukon XL 4wd		01-19-60-018-BL	3.3	
	Cadillac	Escalade ESV 2wd		01-19-60-018-CH		
	Cadillac	Escalade ESV 4wd		01-19-60-019-BL	3.3	
	Cadillac	Escalade EXT AWD		01-19-60-019-CH		
	Chevrolet	C1500 Avalanche 2wd				
	Chevrolet	C1500 Suburban 2wd				
	Chevrolet	C1500 Avalanche 4wd				
Chevrolet	C1500 Suburban 4wd					

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (in)	Max Boost (PSI)
2007 - 2013	Chevrolet	CK20 Silverado 2500HD	6.0	01-19-60-018-BL	3.4	7
	GMC	CK20 Sierra 2500HD		01-19-60-018-CH		
	Chevrolet	CK30 Silverado 3500HD		01-19-60-007-BL	3.4	
	GMC	CK30 Sierra 3500HD		01-19-60-007-CH		
	Chevrolet	CK31 Silverado 3500 Cab/Chassis		01-19-60-015-BL	3.4	
	GMC	CK31 Sierra 3500 Cab/Chassis		01-19-60-015-CH		
	Chevrolet	G30 Express Commercial Cutaway 3500				
	GMC	CK31 Savana Special Cutaway 3500				
	GMC	C25 Sierra 2wd				
	Chevrolet	C25 Silverado 2wd				
	GMC	K25 Sierra 4wd				
	Chevrolet	K25 Silverado 4wd				
	GMC	C35 Sierra 2wd				
	Chevrolet	C35 Silverado 2wd				
	GMC	K35 Sierra 4wd				
	Chevrolet	K35 Silverado 4wd				
	GMC	C35 Sierra 2wd				
	Chevrolet	C35 Silverado 2wd				
	GMC	K35 Sierra 4wd				
	Chevrolet	K35 Silverado 4wd				

Exhibit A

Year	Make	Model	Engine Size (L)	Kit Part Number	Pulley Size (In)	Max Boost (PSI)
2007 LEV2 / ULEV	Chevrolet	K1500 Tahoe 4WD	4.8L	01-12-60-006	3.7"	7
	Chevrolet	K1500 Avalanche 4WD		01-12-60-007		
	Chevrolet	K 1500 Suburban 4WD				
	GMC	C1500 Yukon 2WD				
	GMC	C1500 Yukon XL 2WD				
	GMC	K1500 Yukon 4WD				
	GMC	K1500 yukon XL 4WD				
	Chevrolet	C15 Silverado 2WD				
	Chevrolet	K15 Silverado 4WD				
	GMC	C15 Sierra 2WD				
GMC	K15 Sierra 4WD					
2007 LEV2 / ULEV	Chevrolet	K1500 Tahoe 4WD	5.3L	01-12-60-006	High Comp 3.7"	6
	Chevrolet	K1500 Avalanche 4WD		01-12-60-007		
	Chevrolet	K 1500 Suburban 4WD		01-12-60-019-SL		
	GMC	C1500 Yukon 2WD		01-12-60-019-PO	Standard Compression 3.4"	7
	GMC	C1500 Yukon XL 2WD				
	GMC	K1500 Yukon 4WD				
	GMC	K1500 yukon XL 4WD				
	Chevrolet	C15 Silverado 2WD				
	Chevrolet	K15 Silverado 4WD				
	GMC	C15 Sierra 2WD				
	GMC	K15 Sierra 4WD				
	Chevrolet	Trailblazer 2WD				
	Chevrolet	Trailblazer 4WD				
	Chevrolet	Trailblazer EXT 2WD				
Chevrolet	Trailblazer EXT 4WD					
2007 LEV2 / ULEV	Chevrolet	C25 Silverado 2wd	6.0L	01-12-60-006	High Comp 3.3"	6.5
	Chevrolet	C35 Silverado 2wd		01-12-60-007		
	Chevrolet	K25 Silverado 4wd		01-12-60-013		
	Chevrolet	K35 Silverado 4wd		01-12-60-014	Standard Compression 3.2"	7
	GMC	C25 Sierra 2wd				
	GMC	C35 Sierra 2wd				
	GMC	K25 Sierra 4wd				
	GMC	K35 Sierra 4wd				
	Hummer	H2				

