

**State of California
AIR RESOURCES BOARD**

EXECUTIVE ORDER D-646-1

Relating to Exemptions under Section 27156 and 38391
of the Vehicle Code

Active Exhaust Corporation (d.b.a. RiteCat)
"Series 44000 Three-way Catalytic Converter"

WHEREAS, Vehicle Code Sections 27156 and 38395, and Title 13, California Code of Regulations (hereafter "CCR") Section 2222(h), authorize the California Air Resources Board and its Executive Officer to exempt new aftermarket catalytic converters from the prohibitions of Vehicle Code Section 27156 and 38391.

WHEREAS, Active Exhaust Corporation (AEC) of 1865 Birchmount Road, Toronto, Ontario, Canada M1P 2J5, has applied to the Air Resources Board for exemption from the prohibitions in Vehicle Code Sections 27156 and 38391 to market its new aftermarket Series 44000 three-way catalytic converter (TWC) on selected 1995 through 2003 Toyota passenger cars (PC) and light-duty trucks 1 (LDT1) equipped with on-board diagnostic II (OBD-II) systems as specified in Appendix D-646-1 and incorporated herein. Series 44000 TWC will be used for a single or multiple catalytic converter system applications for selected vehicles listed in Appendix D-646-1. The catalytic converter is to be sold as a universal system.

WHEREAS, pursuant to the authority vested in the Executive Officer by Health and Safety Code Section 39515 and in the Chief, Mobile Source Operations Division by Health and Safety Code Section 39516 and Executive Order G-02-003, the Air Resources Board finds that the above aftermarket catalytic converter complies with the California Vehicle Code Sections 27156 and 38395 and Title 13, California Code of Regulations, Section 2222(h). Emission performance of the catalytic converter was based on durability bench-aging by Umicore Automotive Catalysts USA using the Air Resources Board-modified RAT-A bench-aging cycle for 75 hours, as specified in Appendix A to the "California Evaluation Procedures for New Aftermarket Catalytic Converters" as adopted on October 25, 2007.

WHEREAS, previous emissions and OBD II compatibility tests conducted by Active Exhaust Corporation using a 2001 1.8L Toyota Corolla equipped with single exhaust system, and certified to Low Emission Vehicle (LEV) and passenger car weight classification showed that the vehicle met applicable emission standards for LEV/PC with Series 44000 (1 unit) installed. OBD II compatibility tests performed on the same test vehicle showed that Series 44000 TWC did not affect the vehicle's ability to perform OBD II system monitoring. Emission test results in grams per mile are shown below:

ATDS, Ontario, California				
1.5L Toyota Echo Test				
	NMOG	CO	NOx	Remarks
100K Standard	0.090	4.2	0.3	
Test 1	0.080	0.5	0.1	Pass
Test 2	0.090	0.4	0.1	Pass

THEREFORE, IT IS HEREBY RESOLVED that Active Exhaust Corporation's 44000 TWC is exempted from the prohibitions in Vehicle Code Sections 27156 and 38391 for installation on the approved vehicle applications specified in Appendix D-646-1 subject to the following conditions:


1. No changes are permitted to the catalytic converter as described in the application for exemption. Any changes to the catalytic converter or any of their components, and other factors addressed in this order must be evaluated and approved by the Air Resources Board prior to marketing in California.
2. Marketing of the catalytic converter using identifications other than those shown in the exemption application, and in this Executive Order, or marketing of the catalytic converter for application other than the ones shown in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board. Exemption of this product shall not be construed as an exemption to sell, offer for sale, or advertise any components of the catalytic converter as individual devices.
3. Any oral or written references to this Executive Order or its content by Active Exhaust Corporation, its principals, agents, employees, distributors, dealers, or other representatives must include the disclaimer that the Executive Order or the exemption it provides is not an endorsement or approval of any emission reduction claims for the catalytic converter and is only a finding that the catalytic converter is exempt from the prohibitions of Vehicle Code Sections 27156 and 38391.
4. Active Exhaust Corporation's installation instructions for the new catalytic converter must conform to requirements in Section (h) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
5. Installation of the catalytic converter shall not cause the relocation of an oxygen sensor. Oxygen sensors must be installed in the same location, position and orientation as prescribed in the original equipment manufacturer's configurations.
6. Upon installation, the catalytic converter must carry a manufacturer's warranty for five (5) years or 50,000 miles as prescribed in Section (f)(2) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
7. Active Exhaust Corporation and its vendors may not advertise the new aftermarket catalytic converter as "high flow or easy flow" catalytic converter or use any phrase that could make them appear to perform better than the original equipment manufacturer (OEM) catalytic converters.
8. Any marketing arrangement of the new aftermarket catalytic converter by a third party, which involves the use of packaging identification different from the ones described in this Executive Order, must be approved by the Air Resources Board prior to shipment.

9. Active Exhaust Corporation, its associates, vendors, other businesses, and individuals associated with Active Exhaust Corporation, may not sell or supply new aftermarket catalytic converter substrates to a third party to be assembled in a different facility and marketed under this Executive Order without approval from the Air Resources Board.
10. Active Exhaust Corporation shall comply with the quality control procedures and reporting requirements in Section (f)(5) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
11. Quality control reports must be submitted on a quarterly basis and warranty information reports on a semi-annual basis, starting with periods covering April 1 through June 30, 2009 and January 1 through June 30, 2009, respectively.
12. Active Exhaust Corporation must provide a permanent label or stamp as specified under Section (f)(1) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.
13. Active Exhaust Corporation's vehicle application catalog must conform with the requirements as specified under Section (f)(4) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.

Executive Order D-613-4 dated February 10, 2007, is hereby superseded and of no further force and effect.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a 30-day written notice of intention to revoke it, during which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within 30 days of receipt of the request, and the order may not be revoked until a determination is made, after the hearing, that grounds for revocation exist.

Executed at El Monte, California, this 29th day of May 2009.


Annette Hebert, Chief
Mobile Source Operations Division

Appendix D-646-1
Active Exhaust Corporation 44000

No.	Model Year	Make	Model	Engine Size (liters)	Test Group Name	Certification Level	Weight Class	Exhaust Type	Converter Type	Total Converter	Monitored Converter	Conv. Location	Converter Part Type	MFR Part Number	Application Type
1	1995	Lexus	ES300	3	STY3.0VJGFEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
2	1996	Lexus	ES300	3	TTY3.0VJG1GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
3	1996	Lexus	GS300	3	TTY3.0VJGKEK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44200	ALL
4	1996	Lexus	SC300	3	TTY3.0VJGKEK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44200	ALL
5	1997	Lexus	ES300	3	VTY3.0VJGFK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
6	1997	Lexus	GS300	3	VTY3.0VJGKEK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
7	1997	Lexus	SC300	3	VTY3.0VJGKEK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
8	1998	Lexus	GS400	4	WTYXV04.0DBB	TIER1	PC	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
9	1998	Lexus	LS400	4	WTYXV04.0DBB	TIER1	PC	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
10	1999	Lexus	GS400	4	XTYXV04.0DBA	TLEV	PC	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
11	1999	Lexus	LS400	4	XTYXV04.0DBA	TLEV	PC	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
12	1999	Lexus	SC400	4	XTYXV04.0DBA	TLEV	PC	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
13	2000	Lexus	GS400	4	YTYXV04.0DDA	TLEV	PC	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
14	2000	Lexus	SC300	3	YTYXV03.0DDF	TLEV	PC	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
15	1995	Toyota	Avalon	3	STY3.0VJGFEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
16	1995	Toyota	Camry	2.2	STY2.2VJG2GA	TLEV	PC	S	TWC(2)	2	2	U	UNIVERSAL	44200	ALL
17	1995	Toyota	Camry	3	STY3.0VJGFEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
18	1995	Toyota	Celica	1.8	STY1.8VHG1GA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
19	1995	Toyota	Corolla	1.6	STY1.6VHG1GA	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44200	ALL
20	1995	Toyota	Corolla	1.8	STY1.8VJG1GA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
21	1995	Toyota	MR2	2.2	STY2.2VJG1GA	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44200	ALL
22	1995	Toyota	Paseo	1.5	STY1.5VHGFEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
23	1995	Toyota	Pickup	2.4	STY2.417G1GA	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
24	1995	Toyota	Pickup	2.4	STY2.417G1HA	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
25	1995	Toyota	T100	2.7	STY2.71HGEEK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
26	1995	Toyota	T100	3.4	STY3.41JG1GK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
27	1995	Toyota	Tacoma	2.4	STY2.41HG1GK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
28	1995	Toyota	Tacoma	2.7	STY2.71HG1GK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
29	1995	Toyota	Tacoma	3.4	STY3.41JGFEK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
30	1996	Toyota	4Runner	2.7	TTY2.71HGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
31	1996	Toyota	Avalon	3	TTY3.0VJG1GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
32	1996	Toyota	Camry	2.2	TTY2.2VJG2GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
33	1996	Toyota	Camry	3	TTY3.0VJG1GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
34	1996	Toyota	Celica	1.6	TTY1.8VJG1GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
35	1996	Toyota	Celica	1.8	TTY1.8VJG1GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
36	1996	Toyota	Celica	1.8	TTY1.8VHGFEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
37	1996	Toyota	Celica	2.2	TTY2.2VJG2GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
38	1996	Toyota	Corolla	1.6	TTY1.8VJG1GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
39	1996	Toyota	Corolla	1.8	TTY1.8VJG1GK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
40	1996	Toyota	Paseo	1.5	TTY1.5VHGFEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
41	1996	Toyota	RAV4	2	TTY2.01JG2GK	TLEV	LDT1	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
42	1996	Toyota	Supra	3	TTY3.0VJGKEK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44200	ALL
43	1996	Toyota	T100	3.4	TTY3.41JG1GK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL

Appendix D-646-1
Active Exhaust Corporation 44000

No.	Model Year	Make	Model	Engine Size (liters)	Test Group Name	Certification Level	Weight Class	Exhaust Type	Converter Type	Total Converter	Monitored Converter	Conv. Location	Converter Part Type	MFR Part Number	Application Type
44	1996	Toyota	Tacoma	2.4	TTY2.41HGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
45	1996	Toyota	Tacoma	2.7	TTY2.71HGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
46	1996	Toyota	Tacoma	3.4	TTY3.41JGFEK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
47	1996	Toyota	Tercel	1.5	TTY1.5VHGFEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
48	1997	Toyota	4Runner	2.7	VTY2.71JGKEK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
49	1997	Toyota	Avalon	3	VTY3.0VJGKFK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
50	1997	Toyota	Camry	2.2	VTY2.2VJG2GK	LEV1 LEV	PC	S	TWC(2)	2	2	U	UNIVERSAL	44200	ALL
51	1997	Toyota	Camry	3	VTY3.0VJGKFK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
52	1997	Toyota	Celica	1.6	VTY1.8VJGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
53	1997	Toyota	Celica	1.8	VTY1.8VJGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
54	1997	Toyota	Celica	2.2	VTY2.2VJG2GK	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
55	1997	Toyota	Corolla	1.6	VTY1.8VJGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
56	1997	Toyota	Corolla	1.8	VTY1.8VJGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
57	1997	Toyota	Paseo	1.5	VTY1.5VJGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
58	1997	Toyota	RAV4	2	VTY2.01JG2GK	TLEV	LDT1	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
59	1997	Toyota	Supra	3	VTY3.0VJGKEK	TIER1	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
60	1997	Toyota	T100	2.7	VTY2.71HGKEK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
61	1997	Toyota	Tacoma	2.4	VTY2.41HGKEK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
62	1997	Toyota	Tacoma	2.7	VTY2.71JGKEK	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
63	1997	Toyota	Tercel	1.5	VTY1.5VJGKEK	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
64	1998	Toyota	4Runner	2.7	WTYXT02.7BBH	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
65	1998	Toyota	Celica	2.2	WTYXT02.2DXD	TLEV	LDT1	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
66	1998	Toyota	Corolla	1.8	WTYXV01.8DXB	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
67	1998	Toyota	Paseo	1.5	WTYXV01.5BBA	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
68	1998	Toyota	T100	2.7	WTYXT02.7BBH	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
69	1998	Toyota	T100	3.4	WTYXT03.4BBH	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
70	1998	Toyota	Tacoma	2.4	WTYXT02.4BBH	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44200	ALL
71	1998	Toyota	Tacoma	2.7	WTYXT02.7BBH	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
72	1998	Toyota	Tercel	1.5	WTYXV01.5BBA	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
73	1999	Toyota	4Runner	2.7	XTYXT02.7BBH	TIER1	LDT1	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
74	1999	Toyota	Camry	3	XTYXV03.0BBA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
75	1999	Toyota	Celica	2.2	XTYXT02.2DXD	TLEV	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
76	1999	Toyota	Corolla	1.8	WTYXV01.8DXB	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
77	1999	Toyota	Corolla	1.8	XTYXV01.8DXB	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
78	1999	Toyota	Solara	3	XTYXV03.0BBA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
79	1999	Toyota	Tacoma	2.4	XTYXT02.4BBH	TIER1	LDT1	S	TWC(2)	1	1	U	UNIVERSAL	44200	ALL
80	1999	Toyota	Tacoma	2.7	XTYXT02.7BBH	TIER1	LDT1	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
81	1999	Toyota	Tacoma	2.7	XTYXT02.7DXJ	TLEV	LDT1	S	TWC	1	1	U	UNIVERSAL	44225	ALL
82	1999	Toyota	Tacoma	3.4	XTYXT03.4BBH	TIER1	LDT1	S	TWC	1	1	U	UNIVERSAL	44200	ALL
83	2000	Toyota	Camry	3	YTYXV03.0BBA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
84	2000	Toyota	Celica	1.8	TTYXV01.8DDB	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
85	2000	Toyota	Celica	1.8	YTYXV01.8DDC	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
86	2000	Toyota	Corolla	1.8	YTYXV01.8FFA	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL

Appendix D-646-1
Active Exhaust Corporation 44000

No.	Model Year	Make	Model	Engine Size (liters)	Test Group Name	Certification Level	Weight Class	Exhaust Type	Converter Type	Total Converter	Monitored Converter	Conv. Location	Converter Part Type	MFR Part Number	Application Type
87	2000	Toyota	Echo	1.5	YTYXV01.5FFA	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
88	2000	Toyota	Solara	3	YTYXV03.0BBA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
89	2000	Toyota	Tacoma	2.4	YTYXT02.4FFJ	LEV1 LEV	LDT1	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
90	2000	Toyota	Tacoma	2.7	YTYXT02.7FFJ	LEV1 LEV	LDT1	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
91	2000	Toyota	Tacoma	3.4	YTYXT03.4FFH	LEV1 LEV	LDT1	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
92	2001	Toyota	4Runner	2.7	1TYXT02.7FFH	LEV1 LEV	LDT1	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
93	2001	Toyota	Camry	3	1TYXV03.0BBA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
94	2001	Toyota	Celica	1.8	1TYXV01.8DDB	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
95	2001	Toyota	Celica	1.8	1TYXV01.8DDC	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
96	2001	Toyota	Corolla	1.8	1TYXV01.8FFA	LEV1 LEV	PC	S	TWC(2)	1	1	U	UNIVERSAL	44200	ALL
97	2001	Toyota	Echo	1.5	1TYXV01.5FFA	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
98	2001	Toyota	RAV4	2	1TYXT02.0FFH	LEV1 LEV	LDT1	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
99	2001	Toyota	Solara	3	1TYXV03.0BBA	TIER1	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
100	2001	Toyota	Tacoma	2.4	1TYXT02.4FFH	LEV1 LEV	LDT1	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
101	2001	Toyota	Tacoma	2.7	1TYXT02.7FFH	LEV1 LEV	LDT1	D	2TWC	2	2	U	UNIVERSAL	44225	ALL
102	2001	Toyota	Tacoma	3.4	1TYXT03.4FFH	LEV1 LEV	LDT1	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
103	2002	Toyota	Camry	3	2TYXV03.0BBC	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
104	2002	Toyota	Celica	1.8	2TYXV01.8DDB	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
105	2002	Toyota	Corolla	1.8	2TYXV01.8FFA	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
106	2002	Toyota	Echo	1.5	2TYXV01.5FFA	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
107	2002	Toyota	Solara	3	2TYXV03.0BBC	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44225	ALL
108	2003	Toyota	Celica	1.8	3TYXV01.8DDC	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
109	2003	Toyota	Celica	1.8	3TYXV01.8FFB	LEV1 LEV	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL
110	2003	Toyota	Corolla	1.8	3TYXV01.8DDC	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
111	2003	Toyota	Echo	1.5	3TYXV01.5FFA	LEV1 LEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
112	2003	Toyota	Matrix	1.8	3TYXV01.8DDC	TLEV	PC	S	TWC	1	1	U	UNIVERSAL	44200	ALL
113	2003	Toyota	MR2 Spyder	1.8	3TYXV01.8FFC	LEV1 LEV	PC	S	TWC(2)	2	2	U	UNIVERSAL	44225	ALL